

Disabled Workers

Table 19.
Percentage distribution, by sex and age, December 1960–2004

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
All disabled workers											
1996	4,400	100.0	3.6	5.6	9.0	11.6	13.8	15.5	18.6	22.4	50.0
1997	4,508	100.0	3.2	5.1	8.6	11.6	13.7	16.1	19.2	22.4	50.3
1998	4,699	100.0	3.0	4.8	8.3	11.6	13.8	16.5	19.7	22.4	50.5
1999	4,879	100.0	2.8	4.4	8.0	11.5	14.0	17.0	20.0	22.3	50.6
2000	5,042	100.0	2.7	4.1	7.6	11.4	14.1	17.6	20.3	22.3	50.8
2001	5,268	100.0	2.8	4.0	7.2	11.1	14.1	17.7	20.7	22.4	50.9
2002	5,540	100.0	3.0	3.8	6.7	10.8	14.1	17.5	21.3	22.7	51.0
2003	5,869	100.0	3.1	3.7	6.3	10.4	14.0	17.3	21.5	23.7	51.3
2004	6,197	100.0	3.1	3.6	5.9	10.0	13.8	17.2	21.8	24.5	51.5
Men											
1960	356	100.0	0.5	a	3.3	3.0	4.9	16.6	26.7	44.9	57.3
1965	734	100.0	1.0	a	7.5	7.6	10.4	15.4	24.7	33.3	54.4
1970	1,069	100.0	3.3	a	6.8	6.9	10.9	15.2	23.2	33.7	53.9
1975	1,711	100.0	4.6	a	7.5	6.2	9.7	15.8	23.2	33.0	53.5
1980	1,928	100.0	4.1	a	9.6	6.0	8.9	14.3	24.0	33.1	52.9
1981	--	--	--	--	--	--	--	--	--	--	--
1982	1,746	100.0	4.0	a	9.7	5.8	7.8	13.6	23.6	35.5	53.2
1983	1,731	100.0	4.2	a	10.4	6.3	8.0	13.0	23.1	35.0	52.9
1984	1,748	100.0	4.4	a	11.3	6.8	8.3	12.8	22.2	34.2	52.5
1985	1,785	100.0	4.6	a	12.3	7.3	8.6	12.9	21.4	32.9	51.9
1986	1,827	100.0	4.9	a	13.3	7.9	8.9	12.7	20.7	31.5	51.4
1987	1,857	100.0	4.8	a	13.8	8.5	9.4	12.5	20.1	30.8	51.1
1988	1,869	100.0	4.7	a	14.3	9.0	9.8	12.7	19.6	29.9	50.9
1989	1,906	100.0	4.5	a	14.7	9.6	10.3	12.7	19.4	28.8	50.7
1990	1,965	100.0	4.5	a	15.2	10.3	10.7	12.7	19.1	27.5	50.4
1991	2,066	100.0	4.5	a	15.6	10.7	11.2	13.0	18.6	26.4	50.1
1992	2,221	100.0	4.6	a	16.0	11.0	12.0	13.4	18.0	25.0	49.9
1993	2,358	100.0	4.6	a	16.2	11.2	12.3	13.9	17.9	23.9	49.6
1994	2,476	100.0	4.3	a	16.1	11.4	12.8	14.2	17.8	23.4	49.6
1995	2,573	100.0	4.0	a	15.5	11.5	13.4	14.5	18.0	23.2	49.7
1996	2,653	100.0	3.7	5.7	9.2	11.6	13.7	15.0	18.3	22.9	50.0
1997	2,667	100.0	3.3	5.2	8.7	11.6	13.6	15.6	18.9	23.0	50.3
1998	2,737	100.0	3.1	4.8	8.4	11.6	13.7	16.1	19.3	23.0	50.5
1999	2,801	100.0	2.8	4.5	8.1	11.6	13.8	16.7	19.7	22.9	50.7
2000	2,856	100.0	2.8	4.2	7.6	11.4	13.9	17.3	20.0	22.8	50.8
2001	2,948	100.0	2.9	4.0	7.2	11.2	14.0	17.5	20.5	23.0	51.0
2002	3,067	100.0	3.1	3.8	6.7	10.8	14.0	17.3	21.1	23.2	51.1
2003	3,221	100.0	3.2	3.6	6.3	10.4	13.9	17.1	21.4	24.1	51.3
2004	3,373	100.0	3.2	3.4	5.8	10.0	13.7	17.0	21.9	25.0	51.6

(Continued)

Table 19.
Percentage distribution, by sex and age, December 1960–2004—Continued

Year	Number (thousands)	Percentage distribution									Average age
		Total, all ages	Under 30	30–34	35–39 ^a	40–44	45–49	50–54	55–59	60–FRA	
Women											
1960	99	100.0	0.3	a	3.2	3.2	5.3	19.4	31.4	37.2	56.7
1965	254	100.0	0.6	a	5.4	6.3	9.8	16.2	27.3	34.3	55.2
1970	424	100.0	1.9	a	5.1	5.6	10.1	15.9	26.0	35.3	55.0
1975	778	100.0	3.3	a	6.1	5.3	9.0	16.3	25.5	34.5	54.4
1980	931	100.0	3.4	a	8.2	5.3	8.2	14.4	25.4	35.0	53.7
1981	--	--	--	--	--	--	--	--	--	--	--
1982	858	100.0	3.3	a	8.5	5.1	7.2	13.7	25.2	37.0	53.9
1983	838	100.0	3.5	a	9.3	5.7	7.5	12.9	24.3	36.8	53.6
1984	849	100.0	3.7	a	10.2	6.3	7.8	12.8	23.2	36.0	53.2
1985	872	100.0	3.8	a	11.2	6.9	8.3	12.9	22.3	34.6	52.6
1986	902	100.0	4.1	a	12.1	7.6	8.8	12.9	21.6	32.9	52.0
1987	929	100.0	4.2	a	12.7	8.2	9.4	12.9	20.9	31.7	51.7
1988	952	100.0	4.0	a	13.1	8.7	9.9	13.2	20.6	30.5	51.4
1989	989	100.0	4.0	a	13.5	9.2	10.6	13.4	20.1	29.2	51.1
1990	1,046	100.0	3.9	a	14.0	9.8	11.1	13.4	19.9	27.9	50.8
1991	1,133	100.0	4.0	a	14.3	10.3	11.6	13.8	19.4	26.5	50.5
1992	1,252	100.0	4.3	a	14.6	10.7	12.2	14.3	18.8	25.0	50.1
1993	1,371	100.0	4.3	a	14.9	11.0	12.6	14.8	18.9	23.5	49.9
1994	1,491	100.0	4.1	a	14.8	11.2	13.1	15.3	18.7	22.8	49.9
1995	1,614	100.0	3.8	a	14.5	11.5	13.6	15.7	18.8	22.2	49.9
1996	1,747	100.0	3.5	5.4	8.7	11.6	13.9	16.2	19.1	21.7	50.1
1997	1,842	100.0	3.1	5.0	8.4	11.6	13.9	16.7	19.6	21.5	50.3
1998	1,961	100.0	2.9	4.7	8.2	11.5	14.0	17.0	20.1	21.5	50.5
1999	2,078	100.0	2.7	4.3	7.9	11.5	14.2	17.5	20.5	21.4	50.6
2000	2,186	100.0	2.7	4.1	7.5	11.3	14.3	17.9	20.7	21.6	50.8
2001	2,320	100.0	2.8	4.0	7.1	11.1	14.3	18.0	21.1	21.7	50.9
2002	2,472	100.0	2.9	3.9	6.8	10.8	14.3	17.7	21.5	22.1	51.0
2003	2,647	100.0	3.0	3.8	6.4	10.5	14.2	17.6	21.6	23.0	51.2
2004	2,824	100.0	3.0	3.7	6.0	10.2	14.0	17.5	21.8	23.8	51.4

SOURCES: Social Security Administration, *Annual Statistical Supplement* to the *Social Security Bulletin*, Table 5.D4 from 1960 to 1995; data for 1988 and 1990 to 1995 are based on a 10 percent sample file from the Master Beneficiary Record; Social Security Disability Insurance Beneficiaries, 100 percent data, from 1996 to 2000; beginning with 2001, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTES: Combined data for men and women are not available before 1996.

FRA = full retirement age; -- = not available.

a. Ages 30–34 were grouped with ages 35–39 before 1996.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Disabled Workers

Table 20.
Number, average primary insurance amount, and average monthly benefit, by age and sex,
December 2004

Age	Total			Men			Women		
	Number	Average PIA (dollars)	Average monthly benefit (dollars)	Number	Average PIA (dollars)	Average monthly benefit (dollars)	Number	Average PIA (dollars)	Average monthly benefit (dollars)
All disabled workers	6,197,385	899.40	894.10	3,373,226	1,011.10	1,002.30	2,824,159	766.10	765.00
Under 25	56,628	471.10	484.30	33,171	481.70	493.90	23,457	456.10	470.60
25-29	137,007	582.60	588.40	75,628	595.50	599.40	61,379	566.60	574.70
30-34	220,035	665.00	666.90	116,288	684.20	682.30	103,747	643.60	649.70
35-39	366,275	732.80	731.10	196,696	756.60	750.40	169,579	705.30	708.60
40-44	622,504	791.80	787.30	335,816	833.30	824.30	286,688	743.20	743.90
45-49	857,014	858.40	851.30	462,455	929.00	917.20	394,559	775.70	774.00
50-54	1,068,229	924.40	916.70	573,424	1,030.20	1,018.40	494,805	801.70	798.90
55-59	1,353,782	979.80	972.70	737,303	1,127.40	1,117.10	616,479	803.40	800.00
60-64	1,434,690	997.40	992.60	796,427	1,176.10	1,168.70	638,263	774.50	772.80
65-FRA	81,221	977.50	973.20	46,018	1,155.10	1,147.70	35,203	745.50	745.00

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTES: The average monthly benefit includes secondary benefit amounts for some beneficiaries who are dually entitled. This results in the average monthly benefit being larger than the average PIA for some age groups.

PIA = primary insurance amount; FRA = full retirement age.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Table 21.
Distribution, by diagnostic group, 1996–2004

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders			Neoplasms
						Total	Retardation	Other	
Number									
1996	4,399,932	9,023	197,272	87,066	213,772	1,356,310	228,131	1,128,179	124,018
1997	4,508,406	8,813	215,186	90,175	217,882	1,381,178	235,130	1,146,048	122,775
1998	4,698,560	8,719	233,724	93,776	224,388	1,459,118	243,745	1,215,373	127,174
1999	4,879,454	8,546	251,998	96,132	228,800	1,532,155	249,871	1,282,284	131,492
2000	5,042,333	8,540	244,456	97,919	231,066	1,618,758	257,601	1,361,157	136,404
2001	5,268,039	8,752	239,614	100,442	240,948	1,731,886	273,849	1,458,037	142,795
2002	5,539,597	9,226	237,020	102,589	248,544	1,845,138	286,210	1,558,928	150,138
2003	5,868,541	9,750	242,517	106,767	260,572	1,961,090	298,500	1,662,590	160,986
2004	6,197,385	10,392	247,559	110,178	271,626	2,075,867	310,240	1,765,627	172,844
Percent									
1996	100.0	0.2	4.5	2.0	4.9	30.8	5.2	25.6	2.8
1997	100.0	0.2	4.8	2.0	4.8	30.6	5.2	25.4	2.7
1998	100.0	0.2	5.0	2.0	4.8	31.1	5.2	25.9	2.7
1999	100.0	0.2	5.2	2.0	4.7	31.4	5.1	26.3	2.7
2000	100.0	0.2	4.8	1.9	4.6	32.1	5.1	27.0	2.7
2001	100.0	0.2	4.5	1.9	4.6	32.9	5.2	27.7	2.7
2002	100.0	0.2	4.3	1.9	4.5	33.3	5.2	28.1	2.7
2003	100.0	0.2	4.1	1.8	4.4	33.4	5.1	28.3	2.7
2004	100.0	0.2	4.0	1.8	4.4	33.5	5.0	28.5	2.8

(Continued)

Disabled Workers

Table 21.
Distribution, by diagnostic group, 1996–2004—Continued

Year	Diseases of the—								Other	Unknown ^b
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1996	10,539	517,503	54,585	65,425	906,882	404,618	152,217	10,818	85,115	204,769
1997	10,926	522,047	57,383	69,300	962,915	420,755	155,028	11,267	95,708	167,068
1998	11,349	526,573	61,541	74,888	1,024,053	441,016	159,869	11,826	110,377	130,169
1999	11,687	528,627	65,887	79,524	1,086,432	460,133	162,863	12,151	117,326	105,701
2000	12,070	532,998	69,735	84,687	1,152,231	479,246	166,054	12,351	113,167	82,651
2001	12,847	543,516	74,680	88,949	1,231,184	505,162	170,383	12,787	113,558	50,536
2002	13,708	558,736	80,396	93,645	1,324,762	533,774	176,941	13,429	9,447	142,104
2003	14,711	579,778	87,721	98,491	1,430,357	565,244	185,834	14,133	10,705	139,885
2004	15,596	600,144	94,566	103,427	1,540,566	596,369	194,592	14,963	12,038	136,658
Percent										
1996	0.2	11.8	1.2	1.5	20.6	9.2	3.5	0.2	1.9	4.7
1997	0.2	11.6	1.3	1.5	21.4	9.3	3.4	0.2	2.1	3.7
1998	0.2	11.2	1.3	1.6	21.8	9.4	3.4	0.3	2.3	2.8
1999	0.2	10.8	1.4	1.6	22.3	9.4	3.3	0.2	2.4	2.2
2000	0.2	10.6	1.4	1.7	22.9	9.5	3.3	0.2	2.2	1.6
2001	0.2	10.3	1.4	1.7	23.4	9.6	3.2	0.2	2.2	1.0
2002	0.2	10.1	1.5	1.7	23.9	9.6	3.2	0.2	0.2	2.6
2003	0.3	9.9	1.5	1.7	24.4	9.6	3.2	0.2	0.2	2.4
2004	0.3	9.7	1.5	1.7	24.9	9.6	3.1	0.2	0.2	2.2

SOURCES: Social Security Administration, Social Security Disability Insurance Beneficiaries, 100 percent data, from 1996 to 2000; beginning with 2001, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
 b. Beginning with 2002 data, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Table 22.
Distribution of workers under age 50, by diagnostic group, 1996–2004

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders			Neoplasms
						Total	Retardation	Other	
Number									
1996	1,917,424	4,782	76,546	63,819	110,910	865,928	164,041	701,887	41,232
1997	1,908,103	4,570	80,950	65,212	110,461	852,279	167,052	685,227	39,783
1998	1,949,052	4,503	85,500	66,208	111,266	874,231	170,694	703,537	40,638
1999	1,986,422	4,494	89,365	66,245	111,502	891,469	172,232	719,237	41,799
2000	2,012,615	4,619	80,869	65,695	110,125	912,048	174,759	737,289	42,656
2001	2,066,094	4,883	74,292	65,047	112,969	961,757	183,934	777,823	44,537
2002	2,132,996	5,290	69,229	64,075	113,785	1,005,189	190,646	814,543	45,994
2003	2,204,785	5,696	68,422	64,376	115,634	1,043,928	196,420	847,508	48,126
2004	2,259,463	6,157	66,669	63,593	116,155	1,077,329	201,594	875,735	49,957
Percent									
1996	100.0	0.2	4.0	3.3	5.8	45.2	8.6	36.6	2.2
1997	100.0	0.2	4.2	3.4	5.8	44.7	8.8	35.9	2.1
1998	100.0	0.2	4.4	3.4	5.7	44.9	8.8	36.1	2.1
1999	100.0	0.2	4.5	3.3	5.6	44.9	8.7	36.2	2.1
2000	100.0	0.2	4.0	3.3	5.5	45.3	8.7	36.6	2.1
2001	100.0	0.2	3.6	3.1	5.5	46.5	8.9	37.6	2.2
2002	100.0	0.2	3.2	3.0	5.3	47.1	8.9	38.2	2.2
2003	100.0	0.3	3.1	2.9	5.2	47.3	8.9	38.4	2.2
2004	100.0	0.3	3.0	2.8	5.1	47.7	8.9	38.8	2.2

(Continued)

Disabled Workers

Table 22.
Distribution of workers under age 50, by diagnostic group, 1996–2004—Continued

Year	Diseases of the—								Other	Unknown ^b
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1996	6,711	86,607	24,535	36,214	265,043	202,169	24,862	4,926	37,745	65,395
1997	6,809	85,953	25,428	37,896	271,682	204,222	24,750	5,140	43,124	49,844
1998	6,991	84,674	27,219	39,949	284,291	208,607	25,822	5,314	50,140	33,699
1999	7,103	83,736	29,109	41,571	297,185	211,731	26,226	5,467	51,848	27,572
2000	7,245	84,362	30,357	43,333	309,327	215,744	26,718	5,785	53,437	20,595
2001	7,646	85,819	31,789	44,628	322,713	221,321	27,472	5,613	44,428	11,180
2002	8,072	87,860	33,120	45,957	340,244	228,658	28,441	5,843	4,060	47,179
2003	8,513	90,085	34,722	47,143	355,306	235,860	29,996	5,966	4,496	46,516
2004	8,855	91,227	35,859	48,231	367,251	242,252	30,883	6,231	4,951	43,863
Percent										
1996	0.4	4.5	1.3	1.9	13.8	10.5	1.3	0.3	2.0	3.4
1997	0.4	4.5	1.3	2.0	14.2	10.7	1.3	0.3	2.3	2.6
1998	0.4	4.3	1.4	2.0	14.6	10.7	1.3	0.3	2.6	1.7
1999	0.4	4.2	1.5	2.1	15.0	10.7	1.3	0.3	2.6	1.4
2000	0.4	4.2	1.5	2.2	15.4	10.7	1.3	0.3	2.7	1.0
2001	0.4	4.2	1.5	2.2	15.6	10.7	1.3	0.3	2.2	0.5
2002	0.4	4.1	1.6	2.2	16.0	10.7	1.3	0.3	0.2	2.2
2003	0.4	4.1	1.6	2.1	16.1	10.7	1.4	0.3	0.2	2.1
2004	0.4	4.0	1.6	2.1	16.3	10.7	1.4	0.3	0.2	1.9

SOURCES: Social Security Administration, Social Security Disability Insurance Beneficiaries, 100 percent data, from 1996 to 2000; beginning with 2001, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
 b. Beginning with 2002 data, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, 1996–2004

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders			Neoplasms
						Total	Retardation	Other	
Number									
1996	2,482,508	4,241	120,726	23,247	102,862	490,382	64,090	426,292	82,786
1997	2,600,303	4,243	134,236	24,963	107,421	528,899	68,078	460,821	82,992
1998	2,749,508	4,216	148,224	27,568	113,122	584,887	73,051	511,836	86,536
1999	2,893,032	4,052	162,633	29,887	117,298	640,686	77,639	563,047	89,693
2000	3,029,718	3,921	163,587	32,224	120,941	697,278	82,842	614,436	93,748
2001	3,201,945	3,869	165,322	35,395	127,979	770,129	89,915	680,214	98,258
2002	3,406,601	3,936	167,791	38,514	134,759	839,949	95,564	744,385	104,144
2003	3,663,756	4,054	174,095	42,391	144,938	917,162	102,080	815,082	112,860
2004	3,937,922	4,235	180,890	46,585	155,471	998,538	108,646	889,892	122,887
Percent									
1996	100.0	0.2	4.9	0.9	4.1	19.8	2.6	17.2	3.3
1997	100.0	0.2	5.2	1.0	4.1	20.3	2.6	17.7	3.2
1998	100.0	0.2	5.4	1.0	4.1	21.3	2.7	18.6	3.1
1999	100.0	0.1	5.6	1.0	4.1	22.2	2.7	19.5	3.1
2000	100.0	0.1	5.4	1.1	4.0	23.0	2.7	20.3	3.1
2001	100.0	0.1	5.2	1.1	4.0	24.0	2.8	21.2	3.1
2002	100.0	0.1	4.9	1.1	4.0	24.7	2.8	21.9	3.1
2003	100.0	0.1	4.8	1.2	4.0	25.0	2.8	22.2	3.1
2004	100.0	0.1	4.6	1.2	3.9	25.4	2.8	22.6	3.1

(Continued)

Disabled Workers

Table 23.
Distribution of workers aged 50 or older, by diagnostic group, 1996–2004—Continued

Year	Diseases of the—								Other	Unknown ^b
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
Number										
1996	3,828	430,896	30,050	29,211	641,839	202,449	127,355	5,892	47,370	139,374
1997	4,117	436,094	31,955	31,404	691,233	216,533	130,278	6,127	52,584	117,224
1998	4,358	441,899	34,322	34,939	739,762	232,409	134,047	6,512	60,237	96,470
1999	4,584	444,891	36,778	37,953	789,247	248,402	136,637	6,684	65,478	78,129
2000	4,825	448,636	39,378	41,354	842,904	263,502	139,336	6,866	69,162	62,056
2001	5,201	457,697	42,891	44,321	908,471	283,841	142,911	7,174	69,130	39,356
2002	5,636	470,876	47,276	47,688	984,518	305,116	148,500	7,586	5,387	94,925
2003	6,198	489,693	52,999	51,348	1,075,051	329,384	155,838	8,167	6,209	93,369
2004	6,741	508,917	58,707	55,196	1,173,315	354,117	163,709	8,732	7,087	92,795
Percent										
1996	0.2	17.4	1.2	1.2	25.9	8.2	5.1	0.2	1.9	5.6
1997	0.2	16.8	1.2	1.2	26.6	8.3	5.0	0.2	2.0	4.5
1998	0.2	16.1	1.2	1.3	26.9	8.5	4.9	0.2	2.2	3.5
1999	0.2	15.4	1.3	1.3	27.3	8.6	4.7	0.2	2.3	2.7
2000	0.2	14.8	1.3	1.4	27.8	8.7	4.6	0.2	2.3	2.0
2001	0.2	14.3	1.3	1.4	28.4	8.9	4.5	0.2	2.2	1.2
2002	0.2	13.8	1.4	1.4	28.9	9.0	4.4	0.2	0.2	2.8
2003	0.2	13.4	1.4	1.4	29.3	9.0	4.3	0.2	0.2	2.5
2004	0.2	12.9	1.5	1.4	29.8	9.0	4.2	0.2	0.2	2.4

SOURCES: Social Security Administration, Social Security Disability Insurance Beneficiaries, 100 percent data, from 1996 to 2000; beginning with 2001, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."

b. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Table 24.
Distribution, by diagnostic group and age, December 2004

Diagnostic group	Total	Under 30	30–39	40–49	50–59	60–FRA
	<i>Number</i>					
Total	6,197,385	193,635	586,310	1,479,518	2,422,011	1,515,911
Congenital anomalies	10,392	1,545	2,043	2,569	2,715	1,520
Endocrine, nutritional, and metabolic diseases	247,559	2,883	14,683	49,103	109,747	71,143
Infectious and parasitic diseases	110,178	1,778	17,597	44,218	35,006	11,579
Injuries	271,626	10,925	32,327	72,903	97,719	57,752
Mental disorders						
Retardation	310,240	36,455	67,833	97,306	81,459	27,187
Other	1,765,627	88,844	244,350	542,541	647,991	241,901
Neoplasms	172,844	4,356	11,517	34,084	71,663	51,224
Diseases of the—						
Blood and blood-forming organs	15,596	1,990	2,818	4,047	4,469	2,272
Circulatory system	600,144	3,341	16,238	71,648	254,627	254,290
Digestive system	94,566	1,925	7,571	26,363	40,634	18,073
Genitourinary system	103,427	4,591	15,135	28,505	37,721	17,475
Musculoskeletal system and connective tissue	1,540,566	8,039	67,900	291,312	663,507	509,808
Nervous system and sense organs	596,369	22,230	67,942	152,080	226,766	127,351
Respiratory system	194,592	1,271	5,580	24,032	79,842	83,867
Skin and subcutaneous tissue	14,963	417	1,618	4,196	5,750	2,982
Other	12,038	470	1,256	3,225	4,625	2,462
Unknown	136,658	2,575	9,902	31,386	57,770	35,025
	<i>Percent</i>					
Total	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.2	0.8	0.3	0.2	0.1	0.1
Endocrine, nutritional, and metabolic diseases	4.0	1.5	2.5	3.3	4.5	4.7
Infectious and parasitic diseases	1.8	0.9	3.0	3.0	1.4	0.8
Injuries	4.4	5.6	5.5	4.9	4.0	3.8
Mental disorders						
Retardation	5.0	18.8	11.6	6.6	3.4	1.8
Other	28.5	45.9	41.7	36.7	26.8	16.0
Neoplasms	2.8	2.2	2.0	2.3	3.0	3.4
Diseases of the—						
Blood and blood-forming organs	0.3	1.0	0.5	0.3	0.2	0.1
Circulatory system	9.7	1.7	2.8	4.8	10.5	16.8
Digestive system	1.5	1.0	1.3	1.8	1.7	1.2
Genitourinary system	1.7	2.4	2.6	1.9	1.6	1.2
Musculoskeletal system and connective tissue	24.9	4.2	11.6	19.7	27.4	33.6
Nervous system and sense organs	9.6	11.5	11.6	10.3	9.4	8.4
Respiratory system	3.1	0.7	1.0	1.6	3.3	5.5
Skin and subcutaneous tissue	0.2	0.2	0.3	0.3	0.2	0.2
Other	0.2	0.2	0.2	0.2	0.2	0.2
Unknown	2.2	1.3	1.7	2.1	2.4	2.3

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTE: FRA = full retirement age.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Disabled Workers

Table 25.
Distribution of workers with a secondary benefit (dual entitlement), by worker's smaller primary insurance amount and sex, December 2004

Primary insurance amount (dollars)	Total		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
All disabled workers	201,468	100.0	46,617	100.0	154,851	100.0
Less than 300.00	30,452	15.1	10,180	21.8	20,272	13.1
300.00–399.90	28,545	14.2	10,137	21.7	18,408	11.9
400.00–499.90	28,360	14.1	8,514	18.3	19,846	12.8
500.00–599.90	41,182	20.4	9,309	20.0	31,873	20.6
600.00–699.90	29,196	14.5	4,252	9.1	24,944	16.1
700.00–799.90	18,324	9.1	1,855	4.0	16,469	10.6
800.00–899.90	10,915	5.4	938	2.0	9,977	6.4
900.00–999.90	6,410	3.2	543	1.2	5,867	3.8
1,000.00–1,099.90	3,679	1.8	337	0.7	3,342	2.2
1,100.00 or more	4,405	2.2	552	1.2	3,853	2.5
Average amount (dollars)	543.80		456.20		570.20	

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Table 26.
Distribution of workers with a secondary benefit (dual entitlement), by type of secondary benefit and sex, December 2004

Type of secondary benefit	Total		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
All disabled workers ^a	201,468	100.0	46,617	100.0	154,851	100.0
Spouses	23,268	11.5	154	0.3	23,114	14.9
Widow(er)s	29,360	14.6	799	1.7	28,561	18.4
Disabled widow(er)s	76,499	38.0	2,441	5.2	74,058	47.8
Surviving mothers and fathers	1,943	1.0	81	0.2	1,862	1.2
Disabled adult children	70,397	34.9	43,142	92.5	27,255	17.6

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

a. Includes a few individuals who are receiving parents benefits.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.

Disabled Workers

Table 27.
Number, by sex, state or other area, and age, December 2004

State or area	Total	Under 25	25-34	35-44	45-54	55-FRA
<i>All disabled workers</i>						
All areas	6,197,385	56,628	357,042	988,779	1,925,243	2,869,693
Alabama	158,703	967	8,433	24,624	50,947	73,732
Alaska	9,150	137	670	1,613	2,911	3,819
Arizona	114,578	1,110	7,220	18,323	35,491	52,434
Arkansas	97,653	686	5,141	14,409	29,874	47,543
California	528,609	4,287	28,439	85,008	167,066	243,809
Colorado	68,862	680	3,859	11,087	23,053	30,183
Connecticut	62,517	683	3,905	11,624	18,899	27,406
Delaware	19,473	180	1,111	3,494	6,197	8,491
District of Columbia	9,436	111	628	1,747	3,235	3,715
Florida	378,099	2,898	18,641	58,618	116,059	181,883
Georgia	186,943	1,222	9,512	28,411	58,071	89,727
Hawaii	17,740	97	982	2,821	5,667	8,173
Idaho	27,302	364	2,016	4,223	8,163	12,536
Illinois	212,168	2,726	14,507	34,981	65,286	94,668
Indiana	134,461	1,514	9,355	22,367	42,066	59,159
Iowa	56,604	838	4,264	9,467	17,366	24,669
Kansas	50,782	632	3,452	8,429	16,057	22,212
Kentucky	153,184	1,155	8,935	24,672	48,480	69,942
Louisiana	110,422	863	6,054	17,138	35,447	50,920
Maine	44,038	548	3,210	8,385	13,566	18,329
Maryland	85,926	925	5,005	15,212	27,017	37,767
Massachusetts	145,391	2,066	10,512	28,585	45,469	58,759
Michigan	227,568	2,535	14,576	34,988	71,808	103,661
Minnesota	85,488	1,769	7,032	15,004	26,173	35,510
Mississippi	102,132	663	5,759	15,914	32,617	47,179
Missouri	152,857	1,432	9,079	24,963	47,995	69,388
Montana	19,673	206	1,061	2,847	6,037	9,522
Nebraska	31,282	483	2,181	5,256	9,605	13,757
Nevada	43,613	370	2,194	6,443	12,855	21,751
New Hampshire	30,822	525	2,293	6,161	9,454	12,389
New Jersey	147,396	1,137	7,571	24,582	43,993	70,113
New Mexico	41,660	428	2,436	6,388	13,043	19,365
New York	387,666	2,617	19,491	64,163	117,774	183,621
North Carolina	237,795	1,537	12,095	35,624	72,669	115,870
North Dakota	10,478	144	772	1,574	3,198	4,790
Ohio	230,460	3,183	16,945	37,427	70,761	102,144
Oklahoma	84,410	730	4,579	12,222	25,711	41,168
Oregon	71,398	547	4,107	10,261	21,578	34,905
Pennsylvania	275,892	3,006	17,111	45,521	85,123	125,131
Rhode Island	27,875	346	1,667	4,836	8,758	12,268
South Carolina	124,724	745	5,782	18,076	38,629	61,492
South Dakota	13,837	212	927	2,173	4,296	6,229
Tennessee	172,989	1,070	9,423	27,426	53,763	81,307
Texas	350,669	3,115	19,798	54,343	110,112	163,301
Utah	27,163	352	2,446	4,548	8,074	11,743

(Continued)

Table 27.
Number, by sex, state or other area, and age, December 2004—Continued

State or area	Total	Under 25	25-34	35-44	45-54	55-FRA
<i>All disabled workers (cont.)</i>						
Vermont	14,992	256	1,077	2,728	4,641	6,290
Virginia	156,592	1,298	8,561	25,222	49,051	72,460
Washington	115,238	1,090	7,290	18,218	35,538	53,102
West Virginia	76,039	367	3,510	10,259	23,953	37,950
Wisconsin	104,633	1,551	7,766	17,711	32,044	45,561
Wyoming	9,166	123	577	1,403	2,838	4,225
Outlying areas						
American Samoa	1,045	a	a	72	302	663
Guam	1,055	9	64	178	334	470
Northern Mariana Islands	169	a	a	40	58	50
Puerto Rico	134,694	80	2,735	15,683	42,538	73,658
Virgin Islands	1,554	a	a	203	428	865
Foreign countries	12,320	6	206	1,084	3,105	7,919
<i>Men</i>						
All areas	3,373,226	33,171	191,916	532,512	1,035,879	1,579,748
Alabama	85,160	574	4,547	12,978	26,956	40,105
Alaska	5,153	85	402	890	1,582	2,194
Arizona	60,970	652	3,740	9,540	18,380	28,658
Arkansas	53,927	407	2,792	7,828	16,365	26,535
California	286,028	2,572	15,821	47,387	89,440	130,808
Colorado	36,348	425	2,114	5,818	11,967	16,024
Connecticut	33,027	390	2,104	6,077	9,810	14,646
Delaware	9,704	96	544	1,711	3,045	4,308
District of Columbia	5,099	62	327	1,022	1,814	1,874
Florida	205,831	1,696	10,232	31,841	62,422	99,640
Georgia	98,584	749	5,156	15,293	30,169	47,217
Hawaii	10,563	56	581	1,745	3,355	4,826
Idaho	15,453	209	1,125	2,320	4,444	7,355
Illinois	114,314	1,557	7,726	18,706	34,744	51,581
Indiana	71,479	884	4,887	11,742	22,094	31,872
Iowa	30,555	518	2,320	4,979	9,302	13,436
Kansas	26,337	375	1,804	4,249	8,191	11,718
Kentucky	90,015	667	4,879	14,087	28,639	41,743
Louisiana	69,517	541	3,528	10,622	22,390	32,436
Maine	25,036	310	1,696	4,642	7,651	10,737
Maryland	44,860	546	2,637	7,972	13,895	19,810
Massachusetts	76,119	1,125	5,114	14,621	23,969	31,290
Michigan	122,342	1,459	7,635	18,753	38,337	56,158
Minnesota	45,850	991	3,606	7,787	13,711	19,755
Mississippi	55,214	433	3,084	8,416	17,558	25,723
Missouri	81,782	830	4,873	13,415	25,370	37,294
Montana	11,401	124	585	1,585	3,424	5,683
Nebraska	16,171	279	1,138	2,590	4,799	7,365
Nevada	23,104	204	1,117	3,349	6,600	11,834
New Hampshire	15,494	271	1,056	2,948	4,668	6,551

(Continued)

Disabled Workers

Table 27.
Number, by sex, state or other area, and age, December 2004—Continued

State or area	Total	Under 25	25-34	35-44	45-54	55-FRA
Men (cont.)						
New Jersey	76,046	645	3,908	12,257	22,453	36,783
New Mexico	24,780	268	1,388	3,739	7,595	11,790
New York	210,320	1,537	10,550	34,485	63,818	99,930
North Carolina	121,764	960	6,592	18,372	36,493	59,347
North Dakota	5,994	91	441	855	1,776	2,831
Ohio	128,335	1,810	9,089	20,343	39,048	58,045
Oklahoma	46,370	439	2,553	6,827	13,958	22,593
Oregon	39,815	351	2,310	5,759	11,619	19,776
Pennsylvania	150,954	1,711	8,854	24,200	46,145	70,044
Rhode Island	14,516	190	861	2,498	4,577	6,390
South Carolina	64,468	444	3,084	9,236	19,581	32,123
South Dakota	7,662	133	480	1,098	2,394	3,557
Tennessee	91,446	634	4,923	14,101	28,020	43,768
Texas	196,333	1,827	10,890	30,364	60,509	92,743
Utah	14,707	224	1,321	2,450	4,294	6,418
Vermont	8,304	140	582	1,453	2,509	3,620
Virginia	84,061	793	4,468	13,213	26,170	39,417
Washington	63,122	643	4,102	9,998	19,012	29,367
West Virginia	50,460	227	2,079	6,439	15,863	25,852
Wisconsin	56,219	875	3,950	9,115	16,967	25,312
Wyoming	5,150	66	322	791	1,549	2,422
Outlying areas						
American Samoa	612	0	a	a	182	377
Guam	660	a	a	111	216	292
Northern Mariana Islands	111	a	a	a	34	35
Puerto Rico	75,859	65	1,783	8,990	23,479	41,542
Virgin Islands	868	a	a	112	222	496
Foreign countries	8,853	a	a	714	2,305	5,702
Women						
All areas	2,824,159	23,457	165,126	456,267	889,364	1,289,945
Alabama	73,543	393	3,886	11,646	23,991	33,627
Alaska	3,997	52	268	723	1,329	1,625
Arizona	53,608	458	3,480	8,783	17,111	23,776
Arkansas	43,726	279	2,349	6,581	13,509	21,008
California	242,581	1,715	12,618	37,621	77,626	113,001
Colorado	32,514	255	1,745	5,269	11,086	14,159
Connecticut	29,490	293	1,801	5,547	9,089	12,760
Delaware	9,769	84	567	1,783	3,152	4,183
District of Columbia	4,337	49	301	725	1,421	1,841
Florida	172,268	1,202	8,409	26,777	53,637	82,243
Georgia	88,359	473	4,356	13,118	27,902	42,510
Hawaii	7,177	41	401	1,076	2,312	3,347
Idaho	11,849	155	891	1,903	3,719	5,181
Illinois	97,854	1,169	6,781	16,275	30,542	43,087
Indiana	62,982	630	4,468	10,625	19,972	27,287

(Continued)

Table 27.
Number, by sex, state or other area, and age, December 2004—Continued

State or area	Total	Under 25	25-34	35-44	45-54	55-FRA
<i>Women (cont.)</i>						
Iowa	26,049	320	1,944	4,488	8,064	11,233
Kansas	24,445	257	1,648	4,180	7,866	10,494
Kentucky	63,169	488	4,056	10,585	19,841	28,199
Louisiana	40,905	322	2,526	6,516	13,057	18,484
Maine	19,002	238	1,514	3,743	5,915	7,592
Maryland	41,066	379	2,368	7,240	13,122	17,957
Massachusetts	69,272	941	5,398	13,964	21,500	27,469
Michigan	105,226	1,076	6,941	16,235	33,471	47,503
Minnesota	39,638	778	3,426	7,217	12,462	15,755
Mississippi	46,918	230	2,675	7,498	15,059	21,456
Missouri	71,075	602	4,206	11,548	22,625	32,094
Montana	8,272	82	476	1,262	2,613	3,839
Nebraska	15,111	204	1,043	2,666	4,806	6,392
Nevada	20,509	166	1,077	3,094	6,255	9,917
New Hampshire	15,328	254	1,237	3,213	4,786	5,838
New Jersey	71,350	492	3,663	12,325	21,540	33,330
New Mexico	16,880	160	1,048	2,649	5,448	7,575
New York	177,346	1,080	8,941	29,678	53,956	83,691
North Carolina	116,031	577	5,503	17,252	36,176	56,523
North Dakota	4,484	53	331	719	1,422	1,959
Ohio	102,125	1,373	7,856	17,084	31,713	44,099
Oklahoma	38,040	291	2,026	5,395	11,753	18,575
Oregon	31,583	196	1,797	4,502	9,959	15,129
Pennsylvania	124,938	1,295	8,257	21,321	38,978	55,087
Rhode Island	13,359	156	806	2,338	4,181	5,878
South Carolina	60,256	301	2,698	8,840	19,048	29,369
South Dakota	6,175	79	447	1,075	1,902	2,672
Tennessee	81,543	436	4,500	13,325	25,743	37,539
Texas	154,336	1,288	8,908	23,979	49,603	70,558
Utah	12,456	128	1,125	2,098	3,780	5,325
Vermont	6,688	116	495	1,275	2,132	2,670
Virginia	72,531	505	4,093	12,009	22,881	33,043
Washington	52,116	447	3,188	8,220	16,526	23,735
West Virginia	25,579	140	1,431	3,820	8,090	12,098
Wisconsin	48,414	676	3,816	8,596	15,077	20,249
Wyoming	4,016	57	255	612	1,289	1,803
Outlying areas						
American Samoa	433	a	a	a	120	286
Guam	395	a	a	67	118	178
Northern Mariana Islands	58	0	a	a	24	15
Puerto Rico	58,835	15	952	6,693	19,059	32,116
Virgin Islands	686	a	a	91	206	369
Foreign countries	3,467	a	a	370	800	2,217

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTE: FRA = full retirement age.

a. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Kevin Kulzer (410) 965-5366 or di.asr@ssa.gov.